



# End of Well Report

## 109/09-1a



Author: HRH Geology

End of Well Report 109/09-1a



## 2 DRILLING

### 2.1 Drilling Summary

#### 2.1.1 General Information

**12 1/4" PHASE:**  
Number of days: 18 (Day 21 to Day 38)  
Number of bits used: 2 bits in 2 runs  
Mud Type: Gel/Polymer mud of 1.14s.g. to 1.18 s.g.  
Last Shoe Depth: 13 3/8" casing shoe at 1922m  
Formation Integrity Test: at 1537.9m TVD w/1.14 s.g. & 785 psi; EMW = 1.50s.g.

**8 1/2" PHASE:**  
Number of days: 22 (Day 39 to Day 59)  
Number of bits used: 4 bits in 4 runs  
Mud Type: Gel/Polymer mud of 1.44s.g. to 1.45 s.g.  
Last Shoe Depth: 9 5/8" casing shoe at 3375m  
Formation Integrity Test: at 1432m TVD w/1.45 s.g. & 1380 psi; EMW = 1.85s.g.

#### 2.1.2 Well Design




Figure 2 - Structure of the Well (from Winlog)